

Drinking Water Sample Location: Countryside (Northeast)						
Sample Date	Sample Time	Microcystin (ppb)	Cylindrospermopsin (ppb)	Anatoxin-a (ppb)	Saxitoxin (ppb)	
5/27/2018	2:10:00 PM	2.3746	Below Detection Level	Below Detection Level	Below Detection Level	
5/28/2018	12:50:00 PM	0.1178	Below Detection Level	Below Detection Level	Below Detection Level	
5/29/2018	1:30:00 PM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level	
5/30/2018	2:15:00 PM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level	
5/31/2018	10:45:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level	
6/1/2018	9:55:00 AM	0.0052	Below Detection Level	Below Detection Level	Below Detection Level	
6/2/2018	8:25:00 AM	0.0938	Below Detection Level	0.0059	Below Detection Level	
6/3/2018	8:15:00 AM	0.3510	Below Detection Level	0.0050	Below Detection Level	
6/4/2018	11:10:00 AM	0.3201	Below Detection Level	0.0042	Below Detection Level	
6/5/2018	8:50:00 AM	0.0642	Below Detection Level	Below Detection Level	Below Detection Level	
6/6/2018	9:20:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level	
6/7/2018	9:10:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level	
6/8/2018	9:25:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level	
6/9/2018	9:50:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level	
6/10/2018	10:00:00 AM	Below Detection Level	Below Detection Level	0.0062	Below Detection Level	
6/11/2018	11:25:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level	
6/12/2018	10:40:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level	
6/13/2018	10:40:00 AM	0.0128	Below Detection Level	Below Detection Level	Below Detection Level	
6/14/2018	10:10:00 AM	0.0358	Below Detection Level	Below Detection Level	Below Detection Level	
6/15/2018	10:10:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level	
6/16/2018	9:45:00 AM	0.0031	Below Detection Level	Below Detection Level	Below Detection Level	
6/17/2018	8:30:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level	
6/18/2018	10:15:00 AM	0.5274	Below Detection Level	Below Detection Level	Below Detection Level	
6/19/2018	9:45:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level	
6/20/2018	9:30:00 AM	0.0037	Below Detection Level	Below Detection Level	Below Detection Level	
6/21/2018	9:15:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level	
6/22/2018	9:10:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level	
6/23/2018	9:50:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level	
6/24/2018	10:30:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level	
6/25/2018	9:20:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level	
6/26/2018	11:00:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level	
6/27/2018	9:30:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level	

