

Drinking Water Sample Location: Nebraska (Central)					
Sample Date	Sample Time	Microcystin (ppb)	Cylindrospermopsin (ppb)	Anatoxin-a (ppb)	Saxitoxin (ppb)
5/25/2018	12:20:00 PM	0.0139	1.9022	Below Detection Level	Below Detection Level
5/27/2018	1:55:00 PM	0.0253	Below Detection Level	Below Detection Level	Below Detection Level
5/28/2018	11:40:00 AM	0.0311	Below Detection Level	Below Detection Level	Below Detection Level
5/29/2018	1:50:00 PM	0.0050	Below Detection Level	Below Detection Level	Below Detection Level
5/30/2018	1:55:00 PM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level
5/31/2018	10:20:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level
6/1/2018	12:40:00 PM	0.0620	Below Detection Level	Below Detection Level	Below Detection Level
6/2/2018	7:55:00 AM	0.0065	Below Detection Level	Below Detection Level	Below Detection Level
6/3/2018	7:50:00 AM	0.2590	0.0191	0.0038	Below Detection Level
6/4/2018	10:45:00 AM	0.2164	Below Detection Level	0.0031	Below Detection Level
6/5/2018	11:20:00 AM	0.0161	Below Detection Level	0.0204	Below Detection Level
6/6/2018	8:20:00 AM	0.1016	Below Detection Level	0.0667	Below Detection Level
6/7/2018	8:50:00 AM	0.0294	Below Detection Level	Below Detection Level	Below Detection Level
6/8/2018	9:00:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level
6/9/2018	9:30:00 AM	0.0550	Below Detection Level	Below Detection Level	Below Detection Level
6/10/2018	9:25:00 AM	0.0163	Below Detection Level	Below Detection Level	Below Detection Level
6/11/2018	10:45:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level
6/12/2018	9:05:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level
6/13/2018	11:00:00 AM	0.1651	Below Detection Level	Below Detection Level	Below Detection Level
6/14/2018	9:00:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level
6/15/2018	9:20:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level
6/16/2018	8:20:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level
6/17/2018	9:05:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level
6/18/2018	9:15:00 AM	0.0021	Below Detection Level	Below Detection Level	Below Detection Level
6/19/2018	10:15:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level
6/20/2018	8:40:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level
6/21/2018	10:10:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level
6/22/2018	9:40:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level
6/23/2018	9:25:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level
6/24/2018	10:05:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level
6/25/2018	10:15:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level
6/26/2018	10:05:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level
6/27/2018	10:40:00 AM	0.0169	Below Detection Level	Below Detection Level	Below Detection Level
6/29/2018	9:10:00 AM	Below Detection Level	Below Detection Level	Below Detection Level	Below Detection Level

